Jack Frost

SWEATERS

LEFT . . . No. 5101
SMOCKED BOLERO

RIGHT . . . No. 5102
SMOCKED CARDIGAN

VOLUME 51
PRICE 25¢

INSTRUCTIONS

SMOCKED BOLERO No. 5101

Size 14

1 Pr. Standard No. 4 Needles

1 Pr. Standard No. 8 Needles

Size 1 Steel Crochet Hook

SCALE: 5 sts to 1 in.

Jack Frost Knitting Worsted—2 4-oz. Skeins

BACK: With No. 8 Needles cast on 81 sts. Work in ribbing of K 1, P 1, for 8 rows, then work in stockinette st increasing 1 st at each end on the next row and every inch thereafter to 89 sts. Work even until piece measures 7 in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 8 in. from underarm. Bind off 8 sts at beginning of each of next 6 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 8 Needles cast on 45 sts. Work in ribbing of K 1, P 1, for 8 rows; then work in pattern as follows (right side): **Row 1**—K 1, P 1, over the first 5 sts, * P 3, K 1; repeat from * across row. **Row 2**—P 1, K 3, 10 times; P 1, K 1, over remaining 5 sts. Repeat above 2 rows increasing 1 st at underarm edge on the 3rd and every 6th row thereafter (keeping pattern) to 48 sts. Continue in pattern until piece measures 7 in. from lower edge. Keeping front edge even, bind off 4 sts at underarm edge once; decrease 1 st at underarm edge every other row 4 times. Work even until piece measure 5½ in. from underarm. Keeping armhole edge even, work over first 5 sts at front edge; place on st-holder. Bind off next 6 sts, work across row; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 8 in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 3 times.

LEFT FRONT: Work to correspond to right front, binding off for underarm on right side instead of wrong side.
Sew shoulder seams.

NECKBAND: With No. 4 Needles on right side of garment, pick up 79 sts from end to end of neckband, including sts which were placed on st-holder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

ARMHOLE BAND: With No. 4 Needles on right side of garment, pick up 121 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 5 rows. Bind off.

Sew underarm seams.

Work 1 row of s c across front edges, being sure to have the same no. of sts on each side.

SMOCKING: Work as given for Smocked Cardigan No. 5102.

•

SMOCKED CARDIGAN No. 5102

Size 14

1 Pr. Standard No. 4 Needles

1 Pr. Standard No. 8 Needles

Size 1 Steel Crochet Hook

SCALE: 5 sts to 1 in.

Jack Frost Knitting Worsted—5 4-oz. Skeins

BACK: With No. 4 Needles cast on 89 sts. Work in ribbing of K 1, P 1, for 3 in., then work in stockinette st until piece measures 5 in. from lower edge. Change to No. 8 Needles and continue stockinette st until piece measures 12½ in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measure 6½ in. from underarm. Bind off 8 sts at beginning of each of next 6 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 4 Needles cast on 58 sts. Work in ribbing of K 1, P 1, for 10 rows (1½ in.), then work first buttonhole as follows (right side): K 1, P 1, K 1, bind off next 2 sts, work across row. Work back casting on 2 sts over the bound off sts. Repeat buttonholes every 14 rows (2 in.) to neck edge, working last buttonhole on 2nd row of neckband. When ribbing measures 3 in. from lower edge, change to No. 8 Needles and work in pattern as follows: **Row 1** (right side)—K 1, P 1, over the first 7 sts for buttonhole band, P 3, * K 1, P 3; repeat from * across row. **Row 2**—K 3, * P 1, K 3; repeat from * 11 times, P 1, K 1, over remaining 7 sts. Repeat above 2 rows until piece measures 12½ in. from lower edge. Keeping front edge even, bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 4 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, work over first 7 sts at front edge, place on st-holder. Bind off next 10 sts, work across row; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 3 times.

LEFT FRONT: Work to correspond to right front, omitting buttonholes and binding off for underarm on right side instead of wrong side.

Sew shoulder and underarm seams.

NECKBAND: With No. 4 Needles on right side of garment, pick up 81 sts from end to end of neckband, including sts which were placed on st-holder. Work in ribbing of P 1, K 1, for 7 rows. Bind off.

SLEEVES: With No. 4 Needles cast on 46 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 8 Needles and work in stockinette st, increasing 1 st at each end on the 2nd row and every 2 in. thereafter to 60 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 16 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

Work 1 row of s c across each front edge, being sure to have the same no. of sts on each side.

SMOCKING: With Tapestry Needle and knitting worsted, on right side of garment, starting on the 7th row from ribbing, draw 2 K sts tog. with 2 overcast sts; repeat across row. Alternate sts every 10th row thereafter to shoulder (see illustration).

•

LACE BLOUSE No. 5103

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 5 Needles

SCALE: 6 sts to 1 in.

Jack Frost Fingering Fleece—5 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 5 Needles and P 1 row increasing to 104 sts at even intervals across row. Work in pattern as follows: **Row 1**—K 2, * slip 1 st, K 1, P S S O (pass slipped st over the K st), Y O, K 2, K 2 tog., K 2, Y O, K 1, Y O, K 5, slip 1 st, K 1, P S S O; repeat from * across row ending slip 1 st, K 1, P S S O, Y O, K 4.

Row 2—P 2, * P 2 tog., Y O, P 14; repeat from * ending P 2 tog., Y O, P 4.

Row 3—K 2, * slip 1 st, K 1, P S S O, Y O, K 2, K 2 tog., K 1, Y O, K 3, Y O, K 4, slip 1 st, K 1, P S S O; repeat from * ending slip 1 st; K 1, P S S O, Y O, K 4.

Row 4—Repeat Row 2.

Row 5—K 2, * slip 1 st, K 1, P S S O, Y O, K 2, K 2 tog., Y O, K 5, Y O, K 3, slip 1 st, K 1, P S S O; repeat from * ending slip 1 st, K 1, P S S O, Y O, K 4.

Row 6—Repeat Row 2.

(Continued on page 4)

Copyright, 1949, U. S. and Canada
Gottlieb Bros., N. Y.

Particular care has been taken to have the instructions in this volume accurate. However, we cannot assume responsibility for human or typographical errors. Always check your scale of stitches before starting a garment.

LACE BLOUSE
No. 5103

No. 5103—*(Continued from page 2)*

Row 7—K 2, * slip 1 st, K 1, P S S O, Y O, K 2, K 2 tog., K 5, Y O, K 1, Y O, K 2, slip 1 st, K 1, P S S O; repeat from * ending slip 1 st, K 1, P S S O, Y O, K 4.

Row 8—Repeat Row 2.

Row 9—K 2, * slip 1 st, K 1, P S S O, Y O, K 2, K 2 tog., K 4, Y O, K 3, Y O, K 1, slip 1 st, K 1, P S S O; repeat from * ending slip 1 st, K 1, P S S O, Y O, K 4.

Row 10—Repeat Row 2.

Row 11—K 2, * slip 1 st, K 1, P S S O, Y O, K 2, K 2 tog., K 3, Y O, K 5, Y O, slip 1 st, K 1, P S S O; repeat from * ending slip 1 st, K 1, P S S O, Y O, K 4.

Row 12—Repeat Row 2.

Repeat above 12 rows until piece measures 11 in. from lower edge. Cast on 5 sts at beginning of each of next 2 rows. Working the first and last 5 sts in garter st and the center sts in pattern, work even until piece measures 7 in. from cast on sts at underarm. Discontinue pattern and working in garter st, bind off 5 sts at beginning of each of next 2 rows, then 8 sts at beginning of each of next 6 rows. Bind off remaining sts.

FRONT: Work as given for back.

Sew shoulder and underarm seams.

•

CLASSIC CARDIGAN No. 5104

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 5 Needles

SCALE: 6½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—10 1-oz. Balls

BACK: With No. 5 Needles cast on 117 sts. Work in ribbing of K 1, P 1, for 2½ in., then work in stockinette st until piece measures 15½ in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Working in garter st (K all sts), bind off 7 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 5 Needles cast on 63 sts. Work in ribbing of K 1, P 1, for 1¾ in., then work first buttonhole as follows: K 1, P 1, K 1, bind off next 2 sts, work across row. Work back casting on 2 sts over the bound off sts. Repeat buttonholes every 2¾ in. to neck edge, working last buttonhole on 2nd row of neckband. When ribbing measures 2½ in. from lower edge, work as follows (right side): **Row 1**—K 1, P 1, over the first 9 sts, P 2, K 52. **Row 2**—P 52, K 2; P 1, K 1, over last 9 sts for buttonhole band. Repeat above 2 rows until piece measures 15½ in. from lower edge. Bind off 7 sts at underarm edge once; decrease 1 st at underarm edge every other row 7 times. Work even until piece measures 5½ in. from underarm. Keeping armhole edge even, work over first 9 sts, place on st-holder. Bind off next 8 sts, work across row. Discontinue stockinette st and work in garter st, decreasing 1 st at neck edge every other row 4 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.

LEFT FRONT: Work to correspond to right front, omitting buttonholes and binding off for underarm on right side instead of wrong side.
Sew shoulder and underarm seams.

NECKBAND: With No. 2 Needles on right side of garment, pick up 113 sts from end to end of neckband, including sts which were placed on st-holder. Work in ribbing of P 1, K 1, for 8 rows. Bind off.

SLEEVES: With No. 2 Needles cast on 51 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 5 Needles and P 1 row increasing to 61 sts at even intervals across row. Work even in stockinette st for 2 in. Increase 1 st at each end on the next and every 10th row thereafter to 77 sts. Work even until piece measures 18 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

CLASSIC PULLOVER No. 5105

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 5 Needles

SCALE: 6½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—8 1-oz. Balls

BACK: With No. 5 Needles cast on 113 sts. Work in ribbing of K 1, P 1, for 2½ in., then work in stockinette st until piece measures 14½ in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measure 6½ in. from underarm. Discontinue stockinette st and working in garter st, bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5½ in. from underarm, then work as follows: K over the first 32 sts; place on st-holder. Bind off next 25 sts for front of neck. On remaining 32 sts, K 2 rows, then working in garter st; decrease 1 st at neck edge every other row 4 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 75 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: Work as given for No. 5104.

Sew sleeve seams. Sew sleeves in place.

•

SLEEVELESS PULLOVER No. 5106

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 5 Needles

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—4 1-oz. Balls

BACK: Work as given for No. 5107 until piece measures 10½ in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm, then 2 sts at beginning of each of next 8 rows. Work even until piece measures 8 in. from underarm. Bind off 8 sts at beginning of each of next 6 rows for shoulders. Change to No. 2 Needles decreasing to 37 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 6 in. from underarm, then work over 30 sts; place on st-holder. Bind off next 28 sts for front of neck. On remaining 30 sts, work 2 rows even; decrease 1 st at neck edge every other row 6 times. Work even until piece measures 8 in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 3 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 75 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles on right side of garment, pick up 165 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew underarm seams.

CLASSIC CARDIGAN
No. 5104

CLASSIC PULLOVER
No. 5105

DIAGONAL-RIB PULLOVER No. 5107

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 5 Needles

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—6 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 5 Needles and P 1 row increasing to 120 sts at even intervals across row. Work in pattern as follows:

Row 1 (right side)— * K 4, P 4; repeat from * across row.

Row 2—P 1, * K 4, P 4; repeat from * across row ending K 4, P 3.

Row 3—K 2, * P 4, K 4; repeat from * across row ending P 4, K 2.

Row 4—P 3, * K 4, P 4; repeat from * across row ending K 4, P 1.

Row 5—* P 4, K 4; repeat from * across row.

Row 6—K 1, * P 4, K 4; repeat from * across row ending P 4, K 3.

Row 7—P 2, * K 4, P 4; repeat from * across row ending K 4, P 2.

Row 8—K 3, * P 4, K 4; repeat from * across row ending P 4, K 1.

The above 8 rows form pattern. Repeat them until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles decreasing to 37 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 4½ in. from underarm, then work over first 34 sts; place on st-holder. Bind off next 28 sts for front of neck. On remaining 34 sts, work 2 rows even; decrease 1 st at neck edge every other row 6 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 75 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 80 sts. Work in pattern until piece measures 2½ in. from lower edge. Change to No. 5 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 18 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

RIBBED PULLOVER No. 5108

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 3 Needles

SCALE: 8 sts to 1 in.

Jack Frost Fingering Fleece—9 1-oz. Balls

BACK: With No. 3 Needles cast on 137 sts. Work in ribbing of K 1, P 1, for 2½ in.; then work in rib pattern as follows (right side): **Row 1**—P 2, * K 3, P 2; repeat from * across row. **Row 2**—K 2, * P 3, K 2; repeat from * across row. Repeat above 2 rows until piece measures 16 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 6½ in. from underarm. Bind off 9 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 41 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5½ in. from underarm. Work over 41 sts, place on st-holder. Bind off next 23 sts for front of neck. On remaining 41 sts, work 2 rows even; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 9 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 77 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 51 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles increasing to 57 sts. Work in ribbed pattern as on back, increasing 1 st at each end every 6th row to 101 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 8 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 23 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

CLASSIC PULLOVER No. 5109

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 3 Needles

Size 2 Steel Crochet Hook

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—

6 1-oz. Balls Natural—1 1-oz. Ball Jungle Green

BACK: With No. 3 Needles and Natural, cast on 126 sts. Work in stockinette st for 10 rows (K 1 row, P 1 row). P 1 row on right side for turning ridge. Continuing stockinette st, decrease 1 st at each end on the 12th and every 6th row thereafter to 114 sts, working in striped pattern as follows: starting from turning ridge work * 16 rows Natural, 8 rows Jungle Green; repeat from * until there are 6 Jungle Green stripes in all. When piece measures 6 in. from turning ridge, change to No. 2 Needles and continue pattern until piece measures 10 in. from turning ridge. Change to No. 3 Needles and continue pattern increasing 1 st at each end every 6th row to 126 sts. After the 6 Green stripes have been made, work in Natural only until piece measures 16 in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

FRONT: Work same as back until all sts have been bound off at underarm; then work as follows: work over 49 sts; place on st-holder. Work even on remaining 49 sts until piece measures 5½ in. from underarm. Keeping armhole edge even, bind off 10 sts at neck edge once, then 3 sts every other row 3 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

Sew shoulder and underarm seams.

SLEEVES: With No. 3 Needles and Natural, cast on 78 sts. K 1 row, P 1 row, for 10 rows. P 1 row on right side for turning ridge. P 1 row, K 1 row, for 10 rows; increase 1 st at each end on the next and every 6th row to 88 sts. Work even until piece measures 5 in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 18 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

FINISHING: Work 2 rows of s c around neck edge and front opening, working 3 s c in each corner st. Fasten off.

SLEEVELESS PULLOVER
No. 5106

DIAGONAL RIB PULLOVER
No. 5107

CARDIGAN No. 5110

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

Size 2 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—9 1-oz. Balls

BACK: With No. 4 Needles cast on 129 sts. Work in pattern as follows: **Row 1** (right side)—P 1, K 1, P 1, * K 3, P 1, K 1, P 1; repeat from * across row. **Row 2**—K 1, P 1, K 1, * P 3, K 1, P 1, K 1; repeat from * across row. **Row 3**—Repeat Row 1. **Row 4**—Repeat Row 2. **Row 5**—Repeat Row 1. **Row 6**—Repeat Row 2. **Row 7**—Repeat Row 1. **Row 8**—K 1, P 1, K 1, * Y O, P 3 tog., Y O, K 1, P 1, K 1; repeat from * across row. Repeat above 8 rows until piece measures 4 in. from lower edge. Change to No. 2 Needles and continue pattern until piece measures 8 in. from lower edge. Change to No. 4 Needles and continue pattern until piece measures 14 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 4 Needles cast on 69 sts. Work in pattern, changing Needles as given for back, until piece measures 14 in. from lower edge. Keeping front edge even, bind off 9 sts at underarm edge once; decrease 1 st at underarm edge every other row 3 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, bind off 15 sts at neck edge once; K 3 sts tog. at neck edge every other row 6 times. Work even on remaining 30 sts until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

LEFT FRONT: Work to correspond to right front, binding off for underarm on right side instead of wrong side.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 93 sts. Work in pattern until piece measures 2½ in. from lower edge. Change to No. 4 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 23 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

FINISHING: Starting at left front neck edge, work 25 s c to shoulder seam, 24 s c across back of neck, 25 s c from shoulder seam to right front neck edge, 3 s c in corner st, 98 s c to lower edge of right front; ch 1, turn. Work buttonholes as follows: 1 s c in first st, * ch 2, skip 2 s c; 1 s c in each of next 3 sts; repeat from * 18 times; ch 2, skip 2 sts, work 3 s c in corner st, 1 s c in each st around neck edge, 3 s c in corner st at left front edge, 98 s c down left front edge. Fasten off.

•

PULLOVER No. 5111

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold— 8 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles and P 1 row increasing to 129 sts at even intervals across row. Work in pattern as given for No. 5110 until piece measures 12 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 3 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles decreasing to 39 sts. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm. Work over 40 sts; place on st-holder. Bind off next 25 sts for front of neck. On remaining 40 sts work 2 rows even, then K 3 sts tog. at neck edge every other row 5 times. Work even on remaining 30 sts until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 93 sts. Work as given for No. 5110.

Sew sleeve seams. Sew sleeves in place.

•

PULLOVER No. 5112

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 3 Needles

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—7 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles and P 1 row increasing to 127 sts at even intervals across row. Work in pattern as follows: K 1 row; * P 1 row, K 1 row, P I row, K 1 row, P 1 row, K 2 rows; on the next row K 1; ** Y O, K 2 tog.; repeat from ** across row. K 2 rows; repeat from * until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm. Work over 36 sts; place on st-holder. Bind off next 27 sts for front of neck. On remaining 36 sts, work 2 rows even; decrease 1 st at neck edge every other row 6 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 79 sts from end to end of neckband. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 77 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 3 Needles and P 1 row increasing to 89 sts. Work in patern until piece measures 4½ in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 23 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

CARDIGAN No. 5113

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 3 Needles

Size 1 Steel Crochet Hook

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—8 1-oz. Balls

BACK: With No. 2 Needles cast on 127 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles and work in pattern as given for No. 5112 until piece measures 13 in.

(Continued on page 16)

RIBBED PULLOVER
No. 5108

CLASSIC PULLOVER
No. 5109

CARDIGAN
No. 5110

PULLOVER
No. 5111

PULLOVER
No. 5112

CARDIGAN
No. 5113

DIAMOND-STITCH PULLOVER
No. 5114

DIAMOND-STITCH CARDIGAN
No. 5115

STRIPED PULLOVER
No. 5116

TURTLE-NECK BLOUSE
No. 5117

No. 5113—*(Continued frome page 8)*

from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 2 Needles cast on 75 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles and work in pattern as on back until piece measures 13 in. from lower edge. Keeping front edge even, bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 8 times. Work even until piece measures 5 in. from underarm. Keeping underarm edge even, bind off 15 sts at front edge once; then K 3 sts tog. at neck edge every other row 7 times. Work even on remaining 30 sts until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

LEFT FRONT: Work to correspond to right front, binding off for underarm on right side instead of wrong side.

Sew shoulder and underarm seams.

SLEEVES: Work as given for No. 5112.

Sew sleeve seams. Sew sleeves in place.

EDGING: Work 2 rows of s c (99 sts) across left front edge. Work 1 row of s c (99 sts) across right front edge, then work buttonholes as follows: starting at neck edge, work 1 s c in each of first 3 sts, * ch 3, skip 3 sts, work 1 s c in each of next 5 sts, repeat from * 11 times, work 1 s c in remaining s c. Work 1 row of s c st for st; then work 1 row of picot sts as follows: starting at neck edge, work 1 s c in each of first 3 sts, * ch 3, sl st into last s c made, work 1 s c in each of next 3 sts; repeat from * to lower edge. Fasten off.

•

DIAMOND-STITCH PULLOVER No. 5114

Size 14 to 16

1 Pr. Standard No. 4 Needles

1 Pr. Standard No. 8 Needles

SCALE: 9 sts to 2 in.

Jack Frost Knitting Worsted—2 4-oz. Skeins

BACK: With No. 4 Needles cast on 71 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 8 Needles and P 1 row increasing to 81 sts at even intervals across row. Work in pattern as follows:

Row 1 (right side)—P 5, K 1, * P 9, K 1; repeat from * across row ending P 5.

Row 2—K 4, P 3, * K 7, P 3; repeat from * across row ending K 4.

Row 3—P 3, K 5, * P 5, K 5; repeat from * across row ending P 3.

Row 4—K 2, P 7, * K 3, P 7; repeat from * across row ending K 2.

Row 5—P 1, * K 9, P 1; repeat from * across row.

Row 6—Purl.

Row 7—Repeat Row 5.

Row 8—Repeat Row 4.

Row 9—Repeat Row 3.

Row 10—Repeat Row 2.

Repeat above 10 rows until piece measures 10½ in. from lower edge. Bind off 5 sts at beginning of each of next 4 rows for underarm. Work even until piece measures 8 in. from first bound off sts at underarm. Bind off 4 sts at beginning of each of next 8 rows for shoulders. Change to No. 4 Needles increasing to 35 sts. Work in ribbing of K 1, P 1, for 6 rows. Bind off.

FRONT: Work same as back until piece measures 6 in. from first bound off sts at underarm, then work over 21 sts; place on st-holder. Bind off next 19 sts for front of neck. On remaining 21 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 8 in. from first bound off sts at underarm. Starting at shoulder edge, bind off 4 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 4 Needles on right side of garment, pick up 61 sts from end to end of neckband. Work in ribbing of K 1, P 1, for 6 rows. Bind off.

Sew shoulder seams.

ARMHOLE BANDS: With No. 4 Needles on right side of garment, pick up 121 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 6 rows. Bind off.

Sew underarm seams.

•

DIAMOND-STITCH CARDIGAN No. 5115

Size 14 to 16

1 Pr. Standard No. 4 Needles

1 Pr. Standard No. 8 Needles

SCALE: 9 sts to 2 in.

Jack Frost Knitting Worsted—5 4-oz. Skeins

BACK: With No. 4 Needles cast on 71 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 8 Needles and P 1 row increasing to 81 sts at even intervals across row. Work in diamond pattern as given for No. 5114 until piece measures 12 in. from lower edge. Bind off 5 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 7 in. from underarm. Bind off 4 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 4 Needles cast on 57 sts. Work in ribbing of K 1, P 1, for 3 in., working a buttonhole 1 in. from lower edge as follows (right side): K 1, P 1, K 1, bind off next 2 sts, work across row. On next row, work back, casting on 2 sts over the bound off sts. Repeat buttonholes every 1½ in. to neck edge, working last buttonhole on the 2nd row of neckband. When ribbing measures 3 in. from lower edge, change to No. 8 Needles increasing to 58 sts in last st at underarm edge. Keeping the first 7 sts worked in ribbing of K 1, P 1, for buttonhole band, work remaining sts in pattern as on back, until piece measures 12 in. from lower edge. Keeping front edge even, bind off 5 sts at underarm edge once; decrease 1 st at underarm edge every other row 5 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, work over the first 7 sts, place on st-holder; bind off next 9 sts, work across row. Work back, then K 3 sts tog. at neck edge every other row 8 times. Work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 4 sts every other row 4 times.

LEFT FRONT: Work to correspond to right front, omitting buttonholes and binding off for underarm on right side instead of wrong side.

Sew shoulder and underarm seams.

NECKBAND: With No. 4 Needles on right side of garment, pick up 81 sts from end to end of neckband including sts which were placed on st-holders. Work in ribbing of P 1, K 1, for 6 rows. Bind off.

SLEEVES: With No. 4 Needles cast on 51 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 8 Needles and work in pattern as on back increasing 1 st at each end every 2 in. to 61 sts. Work even until piece measures 18 in. from lower edge. Bind off 5 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times, then every 3rd row 3 times. Bind off 2 sts at beginning of every row until 13 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

CABLE-STITCH BLOUSE
No. 5118

CABLE-STITCH PULLOVER
No. 5119

STRIPED PULLOVER No. 5116

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—8 1-oz. Balls

(2 oz. Corn; 2 oz. Rosemist; 2 oz. Natural; 2 oz. Jungle Green)

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, in striped pattern as follows: * 2 rows Jungle Green, 2 rows Natural, 2 rows Jungle Green, 2 rows Rosemist, 2 rows Jungle Green, 2 rows Corn; repeat from * until piece measures 3½ in. from lower edge. Continuing pattern, change to No. 4 Needles and P 1 row increasing to 118 sts at even intervals across row. Work even until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles and Jungle Green, increasing to 35 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm. Work over 33 sts; place on st-holder. Bind off next 24 sts for front of neck. On remaining 33 sts, work 2 rows even; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles and Jungle Green, on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 79 sts. Work in ribbing of K 1, P 1, in striped pattern as on back, for 1½ in. Change to No. 4 Needles and work in stockinette st striped pattern until piece measures 4½ in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

TURTLE-NECK BLOUSE No. 5117

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 3 Needles

Size 2 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—7 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles and P 1 row increasing to 116 sts at even intervals across row. Work in stockinette st increasing 1 st at each end every 10th row 5 times (126 sts). Work even until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 4 in. from underarm. Work over 49 sts; place on st-holder. Work even on remaining 49 sts until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Bind off remaining sts. Work other side to correspond.

FRONT: Work same as back until piece measures 5½ in. from underarm. Work over 39 sts; place on st-holder. Bind off next 20 sts for front of neck. On remaining 39 sts, work 2 rows even, then bind off 3 sts at neck edge every other row 3 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

Sew shoulder and underarm seams.

Work 1 row of s c around back opening, working 2 loops for buttonholes on right side.

SLEEVES: With No. 2 Needles cast on 50 sts. Work in stockinette st for 2 in. Change to No. 3 Needles and increase 1 st at each end on the first and every 6th row thereafter to 92 sts. Work even until piece measures 18 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 22 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

COLLAR: With No. 2 Needles on right side of garment, pick up 95 sts from end to end of neckband. P 1 row, K 1 row, for 9 rows. Change to No. 3 Needles and P 1 row, K 1 row, for 14 rows. Bind off.

Work 1 row of s c around entire collar, including neck edge on turning ridge.

•

CABLE-STITCH BLOUSE No. 5118

Size 14 to 16

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 5 Needles

Double Pointed Needle Size 5

SCALE: 7½ sts to 1 in.

Jack Frost Sport Yarn—5 2-oz. Balls

BACK: With No. 2 Needles cast on 98 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 5 Needles and P 1 row increasing to 126 sts at even intervals across row. Work in pattern as given for No. 5119 until piece measures 12 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 2 in. from underarm. Starting on right side, work in ribbing of P 2, K 2, until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles and continue ribbing for 8 rows. Bind off.

FRONT: With No. 2 Needles cast on 98 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 5 Needles increasing to 128 sts at even intervals across row. Work in pattern as given for front of No. 5119 until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 2 in. from underarm, ending with the same cable twist as on back. Starting on right side, work in ribbing of P 2, K 2, until piece measures 5 in. from underarm. Work over 40 sts; place on st-holder. Bind off next 22 sts for front of neck. On remaining 40 sts, work 2 rows even, then K 3 sts tog. at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 74 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 90 sts. Work in pattern as on back until piece measures 2½ in. from lower edge. Change to No. 5 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at

(Continued on page 20)

RIBBED PULLOVER
No. 5120

BASKET-WEAVE PULLOVER
No. 5121

No. 5118—*(Continued from page 18)*

each end every other row 6 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

CABLE-STITCH PULLOVER No. 5119

Size 14 to 16

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 5 Needles
1 Double Pointed Needle Size 5

SCALE: 7½ sts to 1 in.

Jack Frost Sport Yarn—7 2-oz. Balls

BACK: With No. 5 Needles cast on 126 sts. Work in ribbing of P 2, K 2, for 2 in. Work in pattern as follows: **Row 1** (right side)—P 6, * K 6, P 6; repeat from * across row. **Row 2**—K 6, * P 6, K 6; repeat from * across row. Repeat above 2 rows 3 times. **Row 9**—Repeat Row 1 working a cable twist over each rib of K 6 across row as follows: slip first 3 sts onto D P N, hold in back of work. K next 3 sts, then bring the slipped sts forward and K them from D P N. ** Work 7 rows even; repeat Row 9; work 13 rows even; repeat Row 9; work 13 rows even; repeat Row 9; repeat from ** to yoke. When piece measures 16 in. from lower edge, bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end and every other row 6 times. Work even until piece measures 2 in. from underarm (the 12th cable twist row from lower edge). Starting on right side, work in ribbing of K 2, P 2, until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles and continue ribbing for 7 rows. Bind off.

FRONT: With No. 5 Needles cast on 126 sts. Work in ribbing of K 2, P 2, for 2 in. ending on right side. P 1 row increasing to 128 sts. Work in pattern as on back, starting with P 1, K 6, * P 6, K 6; repeat from * across row ending P 1. Continue in pattern until piece measures 16 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 2 in. from underarm, ending with the same cable twist as on back. Starting on right side, work in ribbing of K 2, P 2, until piece measures 5 in. from underarm. Work over 40 sts; place on st-holder. Bind off next 22 sts for front of neck. On remaining 40 sts, work 2 rows even, then K 3 sts tog. at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 74 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 46 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 5 Needles and P 1 row increasing to 66 sts at even intervals across row. Work in pattern increasing 1 st at each end every 8th row to 90 sts. Work even until piece measures 18 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

RIBBED PULLOVER No. 5120

Size 14

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 6 Needles

SCALE: 5½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—6 1-oz. Balls

BACK: With No. 2 Needles cast on 95 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 6 Needles and work in pattern as follows:

Row 1—P 3, * K 1, P 3; repeat from * across row.

Row 2—K 3, * P 1, K 3; repeat from * across row.

Repeat above 2 rows until piece measures 12 in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even until piece measures 6½ in. from lower edge. Bind off 6 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm. Work over 29 sts; place on st-holder. Bind off next 21 sts for front of neck. On remaining 29 sts, work 2 rows even; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: Witih No. 2 Needles on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 67 sts. Work in pattern until piece measures 2 in. from lower edge. Change to No. 6 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 4 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

BASKET-WEAVE PULLOVER No. 5121

Size 14

1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 6 Needles

SCALE: 5½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—6 1-oz. Balls

BACK: With No. 2 Needles cast on 95 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 6 Needles increasing to 105 sts and work in pattern as follows:

Row 1—K 5, * P 5, K 5; repeat from * across row.

Row 2—P 5, * K 5, P 5; repeat from * across row.

Row 3—Repeat row 1.

Row 4—Repeat row 2.

Row 5—Repeat row 2.

Row 6—Repeat row 1.

Row 7—Repeat row 2.

Row 8—Repeat row 1.

Repeat above 8 rows until piece measures 12 in. from lower edge. Bind off 5 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm. Work over 30 sts; place on st-holder. Bind off next 25 sts for front of neck. On remaining 30 sts, work 2 rows even; decrease 1 st at neck edge every other row 6 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

SLEEVES: With No. 6 Needles cast on 55 sts. Work in pattern increasing 1 st at each end every 6th row 5 times. Work even until piece measures 5 in. from lower edge. Bind off 5 sts at beginning of each of next 2 rows for underarm;

(Continued on page 24)

V-NECK CLASSIC
No. 5122

CREW-NECK CLASSIC
No. 5123



TURTLE-NECK PULLOVER
No. 5124

EYELET PULLOVER
No. 5125

No. 5121—*(Continued from page 20)*

decrease 1 st at each end every other row 5 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 15 sts remain. Bind off remaining sts.

Sew shoulder and underarm seams. Sew sleeve seams. Sew sleeves in place.

•

V-NECK CLASSIC No. 5122

Size 14

1 Pr. Standard No. 4 Needles

1 Pr. Standard No. 8 Needles

Size 1 Steel Crochet Hook

SCALE: 5½ sts to 1 in.

Jack Frost Sport Yarn—3 2-oz. Balls

BACK: With No. 4 Needles cast on 81 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 8 Needles and P 1 row increasing to 92 sts at even intervals across row. Work even in stockinette st until piece measures 11½ in. from lower edge. Increase 1 st at each end every other row 3 times for underarm shaping. Continuing stockinette st, increase 1 st at each end every 8th row 5 times. Work even until piece measures 7 in. from last increase at underarm shaping. Bind off 8 sts at beginning of each of next 10 rows. Bind off remaining sts for back of neck.

FRONT: Work same as back until piece measures 11½ in. from lower edge. Increase 1 st at each end every other row 3 times for underarm shaping, then work over 49 sts; place on st-holder. On remaining 49 sts; decrease 1 st at neck edge every 3rd row 14 times; at the same time, increase 1 st at shoulder edge every 8th row 5 times. When piece measures 7 in. from last increase at underarm shaping, starting at shoulder edge, bind off 8 sts every other row 5 times. Work other side to correspond.

Sew shoulder and underarm seams.

FINISHING: With No. 1 Steel crochet hook, work 1 row of s c around entire neck edge, being sure to keep work flat. Work 1 row of Picot sts as follows: * ch 3, slip st into first ch made, work 1 s c in each of next 2 sts; repeat from * around entire neck edge.

Work 1 row of s c around edge of sleeves. Finish with Picot sts as given for neck edge.

•

CREW-NECK CLASSIC No. 5123

Size 14

1 Pr. Standard No. 4 Needles

1 Pr. Standard No. 8 Needles

Size 1 Steel Crochet Hook

SCALE: 5½ sts to 1 in.

Jack Frost Sport Yarn—3 2-oz. Balls

BACK: Work as given for No. 5122.

FRONT: Work same as back until piece measures 5 in. from last increase at underarm shaping. Work over 44 sts; place on st-holder. Bind off next 18 sts for front of neck. On remaining 44 sts, work 2 rows even, then continuing increases at shoulder edge, decrease 1 st at neck edge every other row 5 times. When piece measures 7 in. from last increase at underarm, starting at shoulder edge, bind off 8 sts every other row 5 times. Work other side to correspond.

Sew shoulder and underarm seams.

FINISHING: Work as given for No. 5122.

TURTLE-NECK PULLOVER No. 5124

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 5 Needles

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece—8 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 5 Needles and P 1 row increasing to 120 sts at even intervals across row. Work in pattern as follows:

Row 1—P 3, * K 1, P 1, K 6, P 1, K 1, P 3; repeat from * across row.

Row 2—K 3, * P 1, K 1, P 6, K 1, P 1, K 3; repeat from * across row.

Repeat above 2 rows until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles decreasing to 37 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 5 Needles and continue ribbing until back of collar measures 3 in. Bind off loosely.

FRONT: Work same as back until piece measures 5½ in. from underarm. Work over 33 sts; place on st-holder. Bind off next 28 sts for front of neck. On remaining 33 sts, work 2 rows even; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

FRONT OF COLLAR: With No. 2 Needles on right side of garment, pick up 63 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 5 Needles and continue ribbing until collar measures 3 in. Bind off loosely.

Sew collar, shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 49 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 5 Needles increasing to 55 sts. Work in rib pattern increasing 1 st at each end every 6th row 4 times, then every 8th row to 81 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

EYELET PULLOVER No. 5125

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—6 1-oz. Balls

BACK: With No. 2 Needles cast on 100 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 3 Needles and K 1 row increasing to 125 sts at even intervals across row. Work in pattern as follows:

Row 1—Purl.
Row 2—Knit.
Row 3—Purl.
Row 4—K 6, * Y O, K 2 tog., K 5; repeat from * across row.
Rows 5, 6 and 7—Repeat rows 1, 2 and 3.
Row 8—K 5, * Y O, K 2 tog., K 5; repeat from * 7 times, Y O, K 2 tog., K 1, ** Y O, K 5, K 2 tog.; repeat from ** to end of row, ending Y O, K 5.
Rows 9, 10 and 11—Repeat rows 1, 2 and 3.
Row 12—K 4, * Y O, K 2 tog., K 5; repeat from * 7 times, Y O, K 2 tog., K 2, K 2 tog., ** Y O, K 5, K 2 tog.; repeat from ** to end of row, ending Y O, K 4.
Rows 13, 14 and 15—Repeat rows 1, 2 and 3.
Row 16—K 3, * Y O, K 2 tog., K 5; repeat from * 7 times,

(Continued on page 26)

CARDIGAN
No. 5126

PULLOVER
No. 5127

(Continued from page 24)

Y O, K 2 tog., K 4, K 2 tog., ** Y O, K 5, K 2 tog.; repeat from ** to end of row, ending Y O, K 3.
Rows 17, 18 and 19—Repeat rows 1, 2 and 3.
Row 20—K 2, * Y O, K 2 tog., K 5; repeat from * 7 times, Y O, K 2 tog., K 6, K 2 tog., ** Y O, K 5, K 2 tog.; repeat from ** to end of row, ending Y O, K 2.
Rows 21, 22 and 23—Repeat rows 1, 2 and 3.
Row 24—K 1, * Y O, K 2 tog., K 5; repeat from * 7 times, Y O, K 2 tog., K 8, K 2 tog., ** Y O, K 5, K 2 tog., repeat from ** to end of row, ending Y O, K 1.
Rows 25, 26 and 27—Repeat rows 1, 2 and 3.
Row 28—K 7, * Y O, K 2 tog., K 5; repeat from * 6 times, Y O, K 2 tog., K 10, K 2 tog., ** Y O, K 5, K 2 tog.; repeat from ** to end of row, ending Y O, K 7.
Rows 29, 30 and 31—Repeat rows 1, 2 and 3.
Row 32—K 6, * Y O, K 2 tog., K 5; repeat from * 7 times, ** K 2 tog., Y O, K 5; repeat from ** to end of row, ending K 6.
Rows 33, 34 and 35—Repeat rows 1, 2 and 3.
Row 36—K 5, * Y O, K 2 tog., K 5; repeat from * 7 times, Y O, K 2 tog., K 2 tog., ** Y O, K 5, K 2 tog.; repeat from ** to end of row, ending Y O, K 5. Repeat from row 9 until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles increasing to 40 sts. Work in ribbing of K 2, P 2, for 8 rows. Bind off.
FRONT: Work as given for back until piece measures 5 in. from underarm. Work over 35 sts; place on st-holder. Bind off next 27 sts for front of neck. On remaining 35 sts, continuing pattern, work 2 rows even; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.
FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 78 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 8 rows. Bind off.
Sew shoulder and underarm seams.
SLEEVES: With No. 2 Needles cast on 72 sts. Work in ribbing of K 2, P 2, for 1½ in. K 1 row increasing to 97 sts at even intervals across row. Work in pattern as given for back until piece measures 3 in. from lower edge. Change to No. 3 Needles and continue pattern until piece measures 4½ in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 23 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

CARDIGAN No. 5126

Size 14
1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 5 Needles
1 Double Pointed Needle
SCALE: 6 sts to 1 in. (stockinette st)
6½ sts to 1 in. (pattern)

Jack Frost Sport Yarn—6 2-oz. Balls

BACK: With No. 5 Needles cast on 102 sts. Work as given for No. 5127 until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts for back of neck.
RIGHT FRONT: With No. 5 Needles cast on 66 sts. Keeping the first 8 sts worked in garter st for buttonhole band, work remaining sts in ribbing of K 2, P 2, for 16 rows, then work first buttonhole as follows: K 3, bind off next 2 sts, work across row, work back casting on 2 sts over the bound off sts. On the next row, work in pattern as follows:
Row 1 (right side)—K 9, * P 2, K 1; repeat from * across row.
Row 2—* P 1, K 2; repeat from * across row ending P 1, K 8.
Row 3—Repeat row 1.
Row 4—Repeat row 2.
Row 5—Repeat row 1.
Row 6—Repeat row 2.
Row 7—Repeat row 1.
Row 8—Repeat row 2.
Row 9—Repeat row 1.
Row 10—Repeat row 2.
Row 11—K 8, * slip next st onto D P N, hold in front of work, K 1, P 2, then K the st from D P N, P 2; repeat from * across row ending P 2, K 1, P 2, K 1.
Row 12—Repeat row 2.
Row 13—Repeat row 1.
Row 14—Repeat row 2.
Row 15—K 1, P 2, * slip next st onto D P N, hold in front of work, K 1, P 2, then K the st from D P N, P 2; repeat from * across row ending P 2, K 1.
Row 16—Repeat row 2.
Repeat above 16 rows working a buttonhole every 2 in. to neck edge, working last buttonhole in neckband. When piece measures 15 in. from lower edge, keeping front edge even, bind off 12 sts at underarm edge once; decrease 1 st at underarm edge every other row 6 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, work over the first 8 sts at neck edge; place on st-holder. Bind off next 7 sts, work across row. Work 1 row even; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.
LEFT FRONT: Work to correspond to right front, omitting buttonholes and binding off for underarm on right side instead of wrong side.
Sew shoulder and underarm seams.
NECKBAND: With No. 2 Needles on right side of garment, pick up 84 sts from end to end of neckband, including sts which were placed on st-holder. Keeping the first and last 8 sts worked in garter st, work remaining sts in ribbing of K 2, P 2, for 7 rows. Bind off.
SLEEVES: Work as given for No. 5127.
Sew sleeve seams. Sew sleeves in place.

•

PULLOVER No. 5127

Size 14
1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 5 Needles
1 Double Pointed Needle
SCALE: 6 sts to 1 in. (stockinette st.)
6½ sts to 1 in. (pattern)

Jack Frost Sport Yarn—6 2-oz. Balls

BACK: With No. 5 Needles cast on 102 sts. Work in ribbing of K 2, P 2, for 2½ in., then work in stockinette st until piece measures 15 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 34 sts. Work in ribbing of K 2, P 2, for 7 rows. Bind off.
FRONT: With No. 5 Needles cast on 112 sts. Work in ribbing of K 2, P 2, for 2½ in. Work in pattern as follows:
Row 1 (right side)—* K 1, P 2; repeat from * ending K 1.
Row 2—* P 1, K 2; repeat from * ending P 1.
Row 3—Repeat row 1.
Row 4—Repeat row 2.
Row 5—Repeat row 1.
Row 6—Repeat row 2.
Row 7—Repeat row 1.
Row 8—Repeat row 2.
Row 9—Repeat row 1.
Row 10—Repeat row 2.
Row 11—K 1, P 2, * slip next st onto D P N, hold in front of work, K 1, P 2, then K the st from D P N, P 2; repeat from * ending P 2, K 1.
Row 12—Repeat row 2.
Row 13—Repeat row 1.
Row 14—Repeat row 2.
Row 15—K 1, P 2, K 1, P 2, * slip next st onto D P N, hold in front of work, K 1, P 2, then K the st from D P N, P 2; repeat from * ending P 2, K 1, P 2, K 1.
Row 16—Repeat row 2.
Repeat above 16 rows until piece measures 15 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 5 in. from underarm. Work over 32 sts; place on st-holder. Bind off next 24 sts for front of neck. On remaining 32 sts, work 2 rows even, then decrease 1 st at neck edge every other row 4 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.
FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 74 sts from shoulder to shoulder. Work in

(Continued on page 28)

TURTLE-NECK PULLOVER
No. 5128

CARDIGAN
No. 5129

No. 5127—*(Continued from page 26)*

ribbing of K 2, P 2, for 7 rows. Bind off.
Sew shoulders and underarm seams, easing in extra fullness across front edge.

SLEEVES: With No. 2 Needles cast on 48 sts. Work in ribbing of K 2, P 2, for 4 in. Change to No. 5 Needles and work in stockinette st, increasing 1 st at each end on the 5th and every 6th row thereafter to 74 sts. Work even until piece measures 18 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.
Sew sleeve seams. Sew sleeves in place.

•

TURTLE-NECK PULLOVER No. 5128

Size 14
1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles
SCALE: 7 sts to 1 in.

Jack Frost Sport Yarn—6 2-oz. Balls

BACK: With No. 2 Needles cast on 110 sts. Work in pattern as follows (right side):
Row 1—* P 2, K 2; repeat from * across row ending P 2.
Row 2—* K 2, P 2; repeat from * across row ending K 2.
Repeat above 2 rows working a twisted st over each rib of K 2, on the 3rd and every 4th row thereafter as follows: P 2, * K 2nd st on left hand Needle but do not drop it from Needle, K the first st, then drop both sts from left hand Needle, P 2; repeat from * across row.
Continue in pattern until ribbing measures 3½ in. from lower edge. Change to No. 4 Needles and P 1 row on wrong side increasing to 116 sts at even intervals across row. Work even in stockinette st until piece measures 12½ in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Change to No. 2 Needles, increasing to 42 sts. Work in twisted rib pattern as given for lower edge, starting with P 2, K 2, which will be the right side of collar, for 8 rows. Change to No. 4 Needles and continue in pattern until collar measures 2½ in. in all. Bind off loosely.

FRONT: Work same as given for back until ribbing measures 3½ in. from lower edge. Change to No. 4 Needles increasing to 119 sts at even intervals across row. Work even in stockinette st until piece measures 12½ in. from lower edge. Bind off as given for back at underarm. Work even until piece measures 6 in. from underarm. Work over 34 sts; place on st-holder. Work over next 23 sts for front of neck and place on st-holder. On remaining 34 sts, decrease 1 st at neck edge every other row 4 times. Work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

FRONT TURTLE-NECK COLLAR: With No. 2 Needles on right side of garment, pick up 64 sts from shoulder to shoulder. Work in twisted rib pattern starting with P 2, for 8 rows. Change to No. 4 Needles and continue pattern until piece measures 2½ in. Bind off loosely.
Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 46 sts. Work in twisted rib pattern until piece measures 3½ in. from lower edge. Change to No. 4 Needles and P 1 row on wrong side increasing to 53 sts. Work in stockinette st increasing 1 st at each end every 8th row to 81 sts. Work even until piece measures 18 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 19 sts remain. Bind off remaining sts.
Sew sleeve seams. Sew sleeves in place.

•

CARDIGAN No. 5129

Size 14
1 Pr. Standard No. 2 Needles
1 Pr. Standard No. 4 Needles
SCALE: 7 sts to 1 in.

Jack Frost Sport Yarn—8 2-oz. Balls

BACK: With No. 2 Needles cast on 110 sts. Work in twisted rib pattern as given for No. 5128 until piece measures 3½ in. from lower edge. Change to No. 4 Needles and P 1 row on wrong side increasing to 119 sts at even intervals across row. Work even in stockinette st until piece measures 13 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts.

RIGHT FRONT: With No. 2 Needles cast on 62 sts. Work in twisted rib pattern as given for back, working first buttonhole on the 2nd twisted row as follows: P 2, twist next 2 sts, P 2 tog., place the P st from right hand Needle to left hand Needle, K the 2nd K st on left hand Needle, then K the first K st and the P st tog., P 2, work across row. Work back casting on 2 sts over the bound off sts. Repeat buttonholes on every 3rd twisted row to neck edge, working last buttonhole in neckband. When ribbing measures 3½ in. from lower edge, keeping the first 10 sts worked in pattern, change to No. 4 Needles increasing to 61 sts across the remaining 52 sts (71 sts in all). Keeping the first 10 sts worked in pattern for buttonhole band and remaining sts in stockinette st, work even until piece measures 13 in. from lower edge. Keeping front edge even, bind off 10 sts at underarm edge once; decrease 1 st at underarm edge every other row 7 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, work over 10 sts at neck edge; place on st-holder. Bind off next 4 sts, work across row. Bind off 2 sts at neck edge every other row 5 times. Work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

LEFT FRONT: Work as given for right front, omitting buttonholes and binding off for underarm on right side instead of wrong side.

Sew shoulder and underarm seams.

NECKBAND: With No. 2 Needles on right side of garment, pick up 104 sts including sts which were placed on st-holder. Work in twisted rib pattern for 8 rows. Bind off.

SLEEVES: Work as given for No. 5128.

Sew sleeve seams. Sew sleeves in place.

FINISHING: With No. 2 steel crochet hook, work 1 row of s c across each front edge.

•

SPEED-KNIT PULLOVER No. 5130

Size 14
1 Pr. Standard No. 4 Needles
1 Pr. Standard No. 8 Needles
SCALE: 5½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—5 1-oz. Balls

BACK: With No. 4 Needles cast on 82 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 8 Needles and P 1 row increasing to 94 sts at even intervals across row. Work in rib pattern as follows (right side):
Row 1—P 4, * K 2, P 2, K 2, P 4; repeat from * across row.
Row 2—K 4, * P 2, K 2, P 2, K 4; repeat from * across row.
Repeat above 2 rows until piece measures 12 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Work even in garter st until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows for shoulders. Change to No. 4 Needles increasing to 32 sts. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

FRONT: Work as given for back until piece measures 4½ in. from underarm. Work over 29 sts; place on st-holder. Bind off next 16 sts for front of neck. On remaining 29 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 4 Needles on right side of garment, pick up 66 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 7 rows. Bind off.
Sew shoulder and underarm seams.

SLEEVES: With No. 4 Needles cast on 74 sts. Work in pattern as given for back until piece measures 2 in. from lower edge. Change to No. 8 Needles and continue pattern until piece measures 4 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times, then every 4th row 2 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.
Sew sleeve seams. Sew sleeves in place.

SPEED-KNIT PULLOVER
No. 5130

V NECK SPEED-KNIT PULLOVER
No. 5131

V NECK SPEED-KNIT PULLOVER No. 5131

Size 14

1 Pr. Standard No. 4 Needles

1 Pr. Standard No. 8 Needles

SCALE: 5½ sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—5 1-oz. Balls

BACK: Work as given for No. 5130, working 5 rows of ribbing for back neckband.

FRONT: With No. 4 Needles cast on 82 sts. Work as given for back until piece measures 12 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 4 times. Working in garter st, work over 37 sts; place on st-holder. On remaining 37 sts, work 2 rows even, then decrease 1 st at neck edge every 3rd row until 24 sts remain. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 4 Needles on right side of garment, pick up 56 sts from shoulder to point of V, 1 st at point of V, 56 sts from point of V to right shoulder. Work in ribbing of K 2, P 2, for 5 rows, decreasing 1 st at each side of st at point of V on every row. Bind off, decreasing as given above.

Sew shoulder and underarm seams.

SLEEVES: Work as given for No. 5130.

Sew sleeve seams. Sew sleeves in place.

•

STRIPED-YOKE PULLOVER No. 5132

Size 14

1 Pr. Standard No. 1 Needles

1 Pr. Standard No. 3 Needles

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece—Natural 6 1-oz. Balls
Jungle Green 1 1-oz. Ball

BACK: With No. 1 Needles and Natural, cast on 119 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles and work even in stockinette st until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even in striped pattern as follows: * 4 rows Jungle Green, 4 rows Natural; repeat from * to shoulders. When piece measures 6½ in. from underarm, bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 1 Needles increasing to 41 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as given for back until piece measures 5½ in. from underarm, ending with 5 Green stripes. Work over 33 sts; place on st-holder. Bind off next 25 sts for front of neck. On remaining 33 sts, work 2 rows even; decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 1 Needles on right side of garment, pick up 81 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 1 Needles and Natural cast on 90 sts. Work in ribbing of K 1, P 1, for 1½ in., then work in stockinette st until piece measures 2½ in. from lower edge. Change to No. 3 Needles and continue stockinette st until piece measures 4½ in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 24 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

PULLOVER No. 5133

Size 14

1 Pr. Standard No. 2 Needles

1 Pr. Standard No. 4 Needles

SCALE: 7 sts to 1 in.

Jack Frost Featherweight Floss 2 Fold—6 1-oz. Balls

BACK: With No. 2 Needles cast on 100 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles and P 1 row increasing to 120 sts at even intervals across row. Work in pattern as follows:

Row 1—* K 2, yarn forward, slip next 2 sts as if to P, onto right hand Needle, yarn back; repeat from * across row.

Row 2—Purl.

Row 3—* Yarn forward, slip next 2 sts as if to P, K 2; repeat from * across row.

Row 4—Purl.

Repeat above 4 rows until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles increasing to 41 sts. Work in ribbing of K 1, P 1, for 9 rows. Bind off.

FRONT: Work as given for back until piece measures 4½ in. from underarm. Work over 36 sts; place on st-holder. Bind off next 20 sts for front of neck. On remaining 36 sts, work 2 rows even; decrease 1 st at neck edge every other row 8 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 9 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 82 sts. Work in ribbing of K 1, P 1, for 8 rows. Work in pattern as given for back until piece measures 2 in. from lower edge. Change to No. 4 Needles and continue pattern until piece measures 4 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times; then every 4th row 4 times. Bind off 2 sts at beginning of every row until 18 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

(NOTE): SEED STITCH is made by working in pattern of K 1, P 1, always working a K over a P and a P over a K.

Abbreviations used in this volume

K—Knit	tog.—Together	s c—Single Crochet
P—Purl	st—Stitch	d c—Double Crochet
Y O—Yarn Over	sl st—Slip Stitch	tr c—Treble Crochet

P S S O—Pass Slip Stitch Over

(*) An asterisk indicates that the directions which follow are to be repeated.

Wash Your Sweaters, Blankets, Socks, etc., with

WOOLFOAM

Leaves garments soft fluffy and really clean . . . . just try it!

Made for Wool by a Wool Firm 25c
At Art Needlework & Notion Depts.

Printed in U.S.A.

JACK FROST YARN CO., NEW YORK, N. Y.

STRIPED-YOKE PULLOVER
No. 5132

PULLOVER
No. 5133

JACK FROST INSTRUCTION BOOKS

First Choice of Millions of Knitters

VOL. 34 — PRICE 20¢

VOL. 35 — PRICE 20¢

VOL. 36 — PRICE 20¢

VOL. 37 — PRICE 20¢

VOL. 38 — PRICE 20¢

VOL. 39 — PRICE 20¢

VOL. 40 — PRICE 25¢

VOL. 41 — PRICE 25¢

VOL. 42 — PRICE 20¢

VOL. 43 — PRICE 20¢

VOL. 44 — PRICE 20¢



VOL. 45 — PRICE 25¢

VOL. 46 — PRICE 25¢

VOL. 47 — PRICE 25¢

VOL. 48 — PRICE 20¢

VOL. 49 — PRICE 20¢

VOL. 50 — PRICE 20¢

VOL. 51 — PRICE 25¢

VOL. 56 — PRICE 20¢

VOL. 57 — PRICE 20¢

NEWEST STYLES • SIMPLIFIED INSTRUCTIONS